

APPENDIX A
APPROVED YARROW PLANT LIST

The following plant list is a recommended palette of plants that are accepted within the Yarrow development. There are three plant areas and are identified as: (1) Interior area; (2) Residential area; and (3) Native area. All landscape plans must be submitted to the DRC for approval.

<i>Genus/Species</i>	<i>Common Name</i>	<i>Genus/Species</i>	<i>Common Name</i>
<i>Forbs/Perennials (for use in interior plantings only)</i>			
<i>Achillea millefolium</i>	<i>Yarrow</i>	<i>Chrysanthemum sp</i>	<i>Leucanthemum</i>
<i>Achillea sp</i>	<i>Yarrow species</i>	<i>Claytonia siberica</i>	<i>Candyflower</i>
<i>Aegopodium</i>	<i>Bishop's Weed</i>	<i>Convaliaria sp</i>	<i>Convaliaria</i>
<i>Agastache sp</i>	<i>Agastache</i>	<i>Coreopsis sp</i>	<i>Coreopsis</i>
<i>Ajuga sp</i>	<i>Ajuga</i>	<i>Cornus Canadensis</i>	<i>Dogwood Bunchberry</i>
<i>Alcea sp</i>	<i>Hollyhock</i>	<i>Crococsmia sp</i>	<i>Crococsmia</i>
<i>Alchemella sp</i>	<i>Lady's Mantle</i>	<i>Degigalis sp</i>	<i>Degigalis</i>
<i>Alyssum sp</i>	<i>Alyssum</i>	<i>Delosperma sp</i>	<i>Delosperma</i>
<i>Anacyclus sp</i>	<i>Mat Daisy</i>	<i>Delphinium andersonii</i>	<i>Desert Larkspur</i>
<i>Anemone sp</i>	<i>Anemone</i>	<i>Dephinium sp</i>	<i>Delphinium</i>
<i>Antennaria dimorpha</i>	<i>Low Pussytoes</i>	<i>Dianthus sp</i>	<i>Dianthus</i>
<i>Antennaria rosea</i>	<i>Rosy Pussytoes</i>	<i>Dicentra formosa</i>	<i>Pacific Bleeding Heart</i>
<i>Anthemis sp</i>	<i>Anthemis</i>	<i>Doronicum sp</i>	<i>Doronicum</i>
<i>Aquilegia sp</i>	<i>Columbine</i>	<i>Draba sp</i>	<i>Draba</i>
<i>Arabis holboellii</i>	<i>Holboell's Rockcress</i>	<i>Echinacea sp</i>	<i>Echinacea</i>
<i>Arabis sp</i>	<i>Arabis</i>	<i>Erigeron linearis</i>	<i>Linear Leaf Daisy</i>
<i>Arenaria sp</i>	<i>Sandwort</i>	<i>Erigeron sp</i>	<i>Erigeron</i>
<i>Armeria sp</i>	<i>Armeria</i>	<i>Eriogonum ovalifolium</i>	<i>Cushion Buckwheat</i>
<i>Artemesia sp</i>	<i>Artemesia</i>	<i>Eriogonum umbellatum</i>	<i>Sulfur Buckwheat</i>
<i>Aster sp</i>	<i>Aster</i>	<i>Erysimum sp</i>	<i>Erysimum</i>
<i>Astilbe sp</i>	<i>Astilbe</i>	<i>Euphorbia sp</i>	<i>Euphorbia</i>
<i>Aubretia sp</i>	<i>Aubretia</i>	<i>Fragaria sp</i>	<i>Fragaria</i>
<i>Balsamorhizza sagittata</i>	<i>Arrowleaf Balsamroot</i>	<i>Gailardia sp</i>	<i>Gailardia</i>
<i>Baptisia sp</i>	<i>Baptisia</i>	<i>Gallum sp</i>	<i>Sweet Woodruff</i>
<i>Bellis sp</i>	<i>Bellis</i>	<i>Gaura sp</i>	<i>Gaura</i>
<i>Bergenia sp</i>	<i>Bergenia</i>	<i>Geranium sp</i>	<i>Geranium</i>
<i>Brunnere sp</i>	<i>Brunnere</i>	<i>Geum sp</i>	<i>Geum</i>
<i>Camassia quamash</i>	<i>Common Camas</i>	<i>Geum triflorum</i>	<i>Prairie Smoke</i>
<i>Campanula sp</i>	<i>Campanula</i>	<i>Gilia aggregata</i>	<i>Scarlet Gilia</i>
<i>Centaurea sp</i>	<i>Centaurea</i>	<i>Gypsophila sp</i>	<i>Gypsophila</i>
<i>Centranthus sp</i>	<i>Centranthus</i>	<i>Hedera sp</i>	<i>Ivy</i>
<i>Cerastium sp</i>	<i>Snow-in-Summer</i>	<i>Heleanthern sp</i>	<i>Sun Rose</i>
		<i>Helenium sp</i>	<i>Helenium</i>

<i>Genus/Species</i>	<i>Common Name</i>
<i>Heleopsis</i>	<i>Heleopsis</i>
<i>Helleborus sp</i>	<i>Helleborus</i>
<i>Hemerocallis sp</i>	<i>Daylily</i>
<i>Hesperis sp</i>	<i>Damis Rocket</i>
<i>Heuchera cylinrica</i>	<i>Lava Alumroot</i>
<i>Heuchera sp</i>	<i>Heuchera</i>
<i>Heuehevella sp</i>	<i>Heuehevella</i>
<i>Hieracium sp</i>	<i>Hawk aster</i>
<i>Hosta sp</i>	<i>Hosta</i>
<i>Hypericum sp</i>	<i>Hypericum</i>
<i>Iberis sp</i>	<i>Candytuft</i>
<i>Kniphofia uvaria</i>	<i>Red-hot Poker</i>
<i>Lamium sp</i>	<i>Lamium</i>
<i>Leucocrinum montanum</i>	<i>Sand Lily</i>
<i>Liatris sp</i>	<i>Gayfeather</i>
<i>Linnaea borealis</i>	<i>Twinflower</i>
<i>Linum lewsii</i>	<i>Gorman's Lomantium</i>
<i>Linum sp</i>	<i>Flax</i>
<i>Lobelia sp</i>	<i>Lobelia</i>
<i>Lupinus argenteus</i>	<i>Silvery Lupine</i>
<i>Lupinus sp</i>	<i>Lupine</i>
<i>Lychnis sp</i>	<i>Lychnis</i>
<i>Lysimachia sp</i>	<i>Lysimachia</i>
<i>Malva sp</i>	<i>Mallow</i>
<i>Mimulus lewisii</i>	<i>Lewis Monkeyflower</i>
<i>Monarda sp</i>	<i>Monarda</i>
<i>Myosotis sp</i>	<i>Forget-me-not</i>
<i>Oenothera sp</i>	<i>Evening Primrose</i>
<i>Papaver sp</i>	<i>Poppy</i>
<i>Penstemon fruiticosis</i>	<i>Shrubby Penstemon</i>
<i>Penstemon humilis</i>	<i>Lowly Penstemon</i>
<i>Penstemon speciosus</i>	<i>Showy Penstemon</i>
<i>Phlox hoodi</i>	<i>Hood's phlox</i>
<i>Physostegia virginiana</i>	<i>False Dragonhead</i>
<i>Platycodon grandiflorus</i>	<i>Ballon Flower</i>
<i>Polemonium sp</i>	<i>Jacob's Ladder</i>
<i>Polygonum aubertii</i>	<i>Silver Lace Vine</i>
<i>Potentilla sp</i>	<i>Cinquefoil</i>
<i>Prunella sp</i>	<i>Self-heal</i>
<i>Pulmonaria sp</i>	<i>Lungwort</i>

<i>Genus/Species</i>	<i>Common Name</i>
<i>Pulsatilla sp</i>	<i>Pulsatilla</i>
<i>Pyrethrum sp</i>	<i>Pyrethrum</i>
<i>Rudbeckia sp</i>	<i>Rudbeckia</i>
<i>Sagina subulata</i>	<i>Irish Moss, Scotch Moss</i>
<i>Salvia sp</i>	<i>Sage</i>
<i>Santolinia sp</i>	<i>Santolina</i>
<i>Saponaria sp</i>	<i>Saponaria</i>
<i>Saxifraga sp</i>	<i>Saxifrage</i>
<i>Scabiosa sp</i>	<i>Pincushion Flower</i>
<i>Senecio canus</i>	<i>Gray groundsel</i>
<i>Sedum sp</i>	<i>Stoncrop</i>
<i>Sempervivum sp</i>	<i>Houseleek, Hen and Chicks</i>
<i>Solidago sp</i>	<i>Goldenrod</i>
<i>Stachys sp</i>	<i>Lamb's Ear</i>
<i>Tanacetum sp</i>	<i>Tanacetum</i>
<i>Teucrium sp</i>	<i>Germander</i>
<i>Thymus sp</i>	<i>Thyme</i>
<i>Tiarella sp</i>	<i>Foamflower, Sugar-scoop</i>
<i>Tradescantia</i>	<i>Spider's Wart</i>
<i>Trollius sp</i>	<i>Globeflower</i>
<i>Verbena sp</i>	<i>Verbena</i>
<i>Veronica sp</i>	<i>Speedwell</i>
<i>Vinca sp</i>	<i>Periwinkle</i>
<i>Herbs (for use in interior plantings only)</i>	
<i>All herbs hardy to this region are acceptable.</i>	
<i>Grasses & Sedges (for use in interior and residential planting only)</i>	
<i>Acorus sp</i>	<i>Araceae</i>
<i>Agropyron sp</i>	<i>Wheatgrass</i>
<i>Agropyron spicatum</i>	<i>Bluebunch Wheatgrass</i>
<i>Arrhenatherum sp</i>	<i>Bulbous Oat Grass</i>
<i>Calamagrostis sp</i>	<i>Feather Reed Grass</i>
<i>Carex sp</i>	<i>Sedge</i>
<i>Deschampsis sp</i>	<i>Tufted Hair Grass</i>
<i>Elymus glauca</i>	<i>Great Basin Wild Rye</i>
<i>Festuca idahoensis</i>	<i>Idaho Fescue</i>
<i>Hakonechloa sp</i>	<i>Japanese Forest Grass</i>
<i>Helictotrichon sp</i>	<i>Oat Grass</i>

Appendix A

yarrow



YARROW DESIGN GUIDELINE HANDBOOK

<i>Genus/Species</i>	<i>Common Name</i>
<i>Juncus</i>	<i>Rush</i>
<i>Koeleria cristata</i>	<i>Prairie Junegrass</i>
<i>Miscanthus sp</i>	<i>Eulalia Grass</i>
<i>Penisetum sp</i>	<i>Fountain Grass</i>
<i>Phalaris sp</i>	<i>Ribbon Grass</i>
<i>Poa sanbergii</i>	<i>Sandberg's Bluegrass</i>
<i>Shrubs (for use in interior and residential plantings only)</i>	
<i>Acer glabrum</i>	<i>Douglas Maple</i>
<i>Amelanchier alnifolia</i>	<i>Saskatoon Serviceberry</i>
<i>Arctostaphylos nevadensis</i>	<i>Greenleaf Manzanita</i>
<i>Arctostaphylos patula</i>	<i>Pinemat Manzanita</i>
<i>Arctostaphylos uva-ursi</i>	<i>Kinnickinnick</i>
<i>Aronia melanocarpa</i>	<i>Black Chokecherry</i>
<i>Artemesia tridentata</i>	<i>Big Sagebrush</i>
<i>Berberis sp</i>	<i>Barberry</i>
<i>Buddleia sp</i>	<i>Butterfly Bush</i>
<i>Buxus</i>	<i>Boxwood</i>
<i>Caragana arborescens</i>	<i>Siberian Pea Shrub</i>
<i>Ceanothus prostratus</i>	<i>Squaw Carpet</i>
<i>Ceanothus velutinus</i>	<i>Snowbrush</i>
<i>Cedrus atlantica 'Pendula'</i>	<i>Weeping Blue Atlas Cedar</i>
<i>Cercocarpus ledifolius</i>	<i>Curly Leaf Mountain Mahogany</i>
<i>Chaenomeles sp</i>	<i>Flowering Quince</i>
<i>Chrysothamnus nauseosus</i>	<i>Gray Rabbitbrush</i>
<i>Chrysothamnus viscidiflorus</i>	<i>Green Rabbitbrush</i>
<i>Cornus sp</i>	<i>Dogwood</i>
<i>Cotinus coggygria</i>	<i>Smoketree</i>
<i>Cotoneaster acutifolius</i>	<i>Peking Cotoneaster</i>
<i>Cotoneaster horizontalis</i>	<i>Rock Contoneaster</i>
<i>Daphne sp</i>	<i>Daphne</i>
<i>Eleagnus commutata</i>	<i>Silverberry</i>
<i>Erica x darleyensis</i>	<i>Mediterranean Pink, White Bell C.D. Eason, Purple Beauty</i>
<i>& Mrs. D.F. Maxwell Heath</i>	
<i>Euonymus sp</i>	<i>Euonymus</i>
<i>Forsythia intermedia</i>	<i>Meadowlark Forsythia</i>
<i>Genista Lydia</i>	<i>Lydia Broom</i>
<i>Holodiscus, discolor</i>	<i>Oceanspray</i>
<i>Holodiscus dumosus</i>	<i>Desert Spray</i>

<i>Genus/Species</i>	<i>Common Name</i>
<i>Hydrangea macrophylla</i>	<i>Bigleaf Hydrangea</i>
<i>Hydrangea paniculata</i>	<i>Peegee Hydrangea</i>
<i>Ilex meserveae</i>	<i>Blueboy, Girl, & Princess Holly</i>
<i>Juniperus sp</i>	<i>Juniper</i>
<i>Ligustrum sp</i>	<i>Privet</i>
<i>Lonicera sp</i>	<i>Honeysuckle</i>
<i>Mahonia aquifolium 'repens'</i>	<i>Creeping Oregon Grape</i>
<i>Philadelphus lewisii</i>	<i>Mockorange</i>
<i>Physocarpus sp</i>	<i>Ninebark</i>
<i>Picea abies 'Nidiformis'</i>	<i>Nest Spruce</i>
<i>Picea abies 'Pumila'</i>	<i>Pumila Norway Spruce</i>
<i>Picea glauca 'Conica'</i>	<i>Dwarf Alberta Spruce</i>
<i>Picea omorika</i>	<i>Dwarf Serbian Spruce</i>
<i>Picea pungens Globosa</i>	<i>Globe Blue Spruce</i>
<i>Picea pungens 'Pendula'</i>	<i>Weeping Spruce</i>
<i>Pinus mugho mughus</i>	<i>Mugho Pine</i>
<i>Pinus sylvestris 'Hindu Pan'</i>	<i>Hindu Pan Scotch Pine</i>
<i>Pinus sylvestris 'Nana'</i>	<i>Dwarf Scotch Pine</i>
<i>Potentilla fruticosa</i>	<i>Abbotswood, Goldfinger, Gold Star, Katherine Dykes, MtEverest, Pink Princess, Snowbird, Sutter's Gold</i>
<i>Potentilla</i>	
<i>Prunus besseyi</i>	<i>Sandcherry</i>
<i>Prunus glandulosa</i>	<i>Dwarf Pink Flowering Almond</i>
<i>Prunus tomentosa</i>	<i>Nanking Cherry</i>
<i>Prunus virginiana</i>	<i>Chokecherry</i>
<i>Prunus x cistena</i>	<i>Purple-leaf Sandcherry</i>
<i>Purshia tridentata</i>	<i>Antelope Bitterbrush</i>
<i>Phamnus sp</i>	<i>Buckthorn</i>
<i>Rhododendron PJM</i>	<i>PJM Rhododendron</i>
<i>Rhododendron Ramapo</i>	<i>Ramapo Rhododendron</i>
<i>Rhus sp</i>	<i>Sumac</i>
<i>Ribes cereum</i>	<i>Wax Currant</i>
<i>Rosa sp</i>	<i>Rose</i>
<i>Salix purpurea 'Nana'</i>	<i>Dwarf Alaska Blue Willow</i>
<i>Salix sp</i>	<i>Flame Willow</i>
<i>Sambucus canadensis</i>	<i>American Elderberry</i>
<i>Sambucus cerulea</i>	<i>Blue Elderberry</i>
<i>Sambucus racemosa</i>	<i>Red Elderberry</i>
<i>Sorbaria sorbifolia</i>	<i>Ash-leaf Spriaea</i>
<i>Sorbus sitchensis</i>	<i>Sitka Mountain Ash</i>
<i>Spiraea sp</i>	<i>Spiraea</i>

Genus/Species

Symphoricarpus sp
Syringa sp
Taxus densiformis media
Thuja occidentalis
 & Little Giant Arborvitae
Viburnum dentatum
Viburnum edule
Viburnum lentago
Viburnum opulus sterile
Viburnum trilobum
Weigela

Trees (for use in residential plantings only)

Abies concolor
Abies grandis
Abies lasiocarpa
Acer sp
Alnus incana
Betula sp
Eleagnus angustifolia
Fraxinus sp
Gleditsia sp
Juniperus occidentalis
Malus sp
Picea engelmannii
Picea pungens
Pinus albicaulus
Pinus contorta murrayana
Pinus lambertiana
Pinus nigra
Pinus ponderosa
Populus tremuloides
Populus tremuloides erecta
Prunus sp
Pyrus sp
Quercus sp
Robinia sp
Salix scouleriana
Sorbus aucuparia
Tilia sp
Tsuga mertensiana

Common Name

Snowberry, Coralberry
Lilac
Dense Spreading Yew
Emerald, Geo. Washington

Arrowwood Viburnum
Highbush Cranberry
Nannyberry Viburnum
Common Snowball
American Cranberry Bush
Pink Princess Weigela

White Fir
Grand Fir
Subalpine Fir
Maple
Mountain Alder
Birch
Russian Olive
Ash
Honey Locust
Western Juniper
Flowering Crabapple
Engelman Spruce
Blue Spruce
Whitebark Pine
Murrayana Pine
Sugar Pine
Austrian Pine
Ponderosa Pine
Quaking Aspen
Swedish Aspen
Flowering Cherry, Plum
Flowering Pear
Oak
Locust
Scouler's Willow
Mountain Ash
Linden
Mountain Hemlock

Note: No tree greater in height than the roof line shall be permitted in the interior landscape area without written approval of the DRC.

Additions to this list must be approved by the Landscape Architect or the DRC, in writing, prior to planting.

Appendix A

yarrow



APPENDIX B

Earth Advantage/Energy Star Requirements and Conditions

GENERAL DEVELOPMENT STANDARDS:

Environmental Conservation

The design of the requirements for Yarrow include water and energy conservation. To date, the realization of these benefits for the development as a whole, the city, and the individual homeowner include the “Earth Advantage® New Construction Certification” and “WeatherTrak®” smart irrigation controllers (see Special Landscape Irrigation Standards).

Earth Advantage®

Earth Advantage® certification is a process that involves you and your builder working to ensure that the highest standards of energy efficiency, indoor air quality, resource efficiency, and environmental responsibility are being met.

The Earth Advantage® program staff will review the home design and provide a completed point sheet prior to submittal to the DRC. Contact should be made during the preliminary design process in order to ensure that the energy efficient elements are incorporated early on for Earth Advantage® certification.

DRC REVIEW SECTION:***1. Earth Advantage® Point Sheet:***

Contact with Earth Advantage® staff during the preliminary design process is recommended. This will help ensure that the design elements for Earth Advantage® certification are incorporated early on in the process. Once the plans are completed, provide a set to Earth Advantage® staff for review and a completed point sheet which will need to accompany your application to the DRC.

Contact information: Bruce Sullivan
Phone: 541-480-7303 or
E-mail: bsullivan@earthadvantage.org

